

Maharashtra University of Health Sciences, Nashik

Following documents need to available on web site

Trust Deed/Bylaws/Registration Certificate (Trust / Hospital (Bombay Nursing Act))**Faculty: B.Sc Nursing****Name of College/Institute: Dr. Prafulla Patil B.Sc Nursing College, Parbhani**

Name of Trust/ Society	Saraswati Dhanwantari Medical Educational Social and Cultural Foundation	
Registration Certificate To be uploaded on web site clear and original copy	Trust /Society:- Attached	
	Trust Deed/Bylaws:- Attached	
	Hospital Ownership Documents:- Attached	
	Hospital (Bombay Nursing Act):- Attached	
	MPCB Certificate of Parent Hospital :- Attached	
Hospital Type as Per Bombay Nursing Act :- Multi Super-Speciality Hospital		
Hospital (Bombay Nursing Act) issuing Authority:- Zila Parishad – Public Health Department		
Hospital Bed as per Certificate:- 350		
Name of the College/Institute (As per First Affiliation letter)	:	Dr. Prafulla Patil B.Sc Nursing College
Address	:	Dr. Prafulla Patil B.Sc Nursing College, Dr. Prafulla Patil Educational Campus, Pathri road, NH-61, Parbhani (M.H.)
Email ID	:	drppnursingcollege@gmail.com
Telephone/Mobile No.(s)	:	+91 9158199922, +91 7350380522
Website	:	https://ppnursingcollege.in/
College Code	:	154139

Here by I declare all relevant document uploaded are clear and visible on web site & are true as per my best knowledge

Any Other, Please Specify:-

Date:-03/02/2025

Dean / Principal Stamp & Signature

Dr. Prafulla Patil
B.Sc. Nursing College, Parbhani

Chairman of LIC

Member Of LIC

Member Of LIC

विशेष-प्र. मा./शु. सा. वि./५० म.

क्रमांक



नोंदणी प्रमाणपत्र

संस्था नोंदणी अधिनियम, १८६०

(१८६० चा अधिनियम २१)

नोंदणी क्रमांक

MAH/73/98

PARBHANI.

याद्वारे-असे प्रमाणित करण्यात येते की, **Saraswati Dhanvanthari**
Medical, Educational, Social and Cultural, Foundation,
Parbhani, Tq, Parbhani, Dist, Parbhani.

घातील तारखेस संस्था नोंदणी अधिनियम, १८६० (सत १८६० चा अधिनियम २१) अन्वये योग्यरित्या
नोंदणी करण्यात आली.

तारीख 06/02/98 १३

रोजी माझ्या सहोनिशी दिले.



MP
संस्थाचे सहायक निबंधक,
महाराष्ट्र शासनाचे नियंत्रण
पारभणी विभाग, पारभणी

Principal
Dr. Prafulla Patil
B.Sc. Nursing College, Parbhani

Principal
Dr. Prafulla Patil
B.Sc. Nursing College, Parbhani

31



गोंदणीचे प्रमाणपत्र

याद्वारे प्रमाणपत्र देण्यात येते की, खाली वर्णन केलेली सार्वजनिक विश्वस्तव्यवस्था ही आज, मुंबई सार्वजनिक विश्वस्तव्यवस्था अधिनियम, १९५० (सन १९५० चा मुंबई अधिनियम क्रमांक २९) या अन्वये

परभणी विभागात परभणीतील सार्वजनिक विश्वस्तव्यवस्था गोंदणी कार्यालयात योग्य रीतीने तीव्रपद्धत झालेली आहे.

सार्वजनिक विश्वस्तव्यवस्थेचे नाव सरस्वती - धन्वंतरी - मेडीकल एज्युकेशनल सोशल अँड कलचरल फौंडेशन परभणी लां. लिं. परभणी
सार्वजनिक विश्वस्तव्यवस्थाच्या गोंदणी मुद्रकादील क्रमांक ओएफ - ३६९२ (परभणी)
डॉ. प्रफुल्ल क्रीकाल पाटील यांचे प्रमाणपत्र दिणे.

आज दिनांक ३६ NOV, 1988 रोजी याच्या प्रतीपिटी दिणे.



[Signature]
मुख्य कार्यकारी अधिकारी
परभणी विभाग, प. म. म. म.

[Signature]
Principal
Dr. Prafulla Patil
P.Sc. Nursing College, Parbhani

[Signature]
DEAN
Sarawati-Dhawantri Education Foundation
Dental College, Parbhani (M.S.)

119123
3

ANNEXURE 'B'

SARASWATI DHANVANTARI MEDICAL, EDUCATIONAL, SOCIAL AND CULTURAL FOUNDATION, PARBHANI TQ. PARBHANI DIST. PARBHANI.

क्रमांक 872105
जंदासने नाव

I Memorandum of Association I

1. Name of the Society :- Saraswati Dhanvantari Medical Educational, Social and Cultural Foundation, Parbhani Tq. and Dist. Parbhani.

परिभाषा बसंत काकर केत्याची कारीख 28-12-05
व्यावसायिक कारीख
व्यावसायिक कारीख
व्यावसायिक कारीख

Address of the Society :- Dr. Prafulla Shrikant Patil, House No. 28 Patil Hospital, Station Road, Parbhani. (Maharashtra).

प्रा. 12/05
प्रा. 12/05
प्रा. 12/05

3. Aims and Objects :-



- To make establishment of Educational institutes, Medical Institutes and colleges under University Acts.
- Promotion and development of Preventive and Social Medicine.
- Implementation of National Medical Schemes and National Programmes.
- Formation of Society for Medical Learning and Resources transfer to organise conferences and workshops.
- Prevention and treatment of Alcoholism, Drug Abuse, Mental illness, AIDS, STDs, infections etc.
- To work for Disease control and Malnutrition.
- Research and Development for Infertility, fertility control, family planning, reproductive medicine.
- Promotion of Healthy village and Ideal village for Healthy nation scheme.
- To develop Medical, social, cultural, Rural, and Educational Project with the help of Indian citizens and Non-Residents of India in U.S.A. and other countries.


10/12/05
Dr. Patil
JKM

Principal
Dr. Prafulla Patil
B.Sc. Nursing College, Parbhani

4. Following is the information showing the names, full names, addresses, age, designation, occupation and nationality of the members of the first Executive Committee to which the duty of the managing trust is entrusted as per the rules and regulation of 'SARASWATI DHANVANTARI MEDICAL, EDUCATIONAL SOCIAL AND CULTURAL FOUNDATION, PARBHANI. Dist. PARBHANI.

Sr. No.	Full Name & Address	Designation	Age	Occupation	Nationality
1.	Dr. Prafulla Shrikant Patil Station road, Parbhani.	President	32	Medical Practice	Indian
2.	Sow. Jyoti Rameshwarrao Milke Viveknagar, Parbhani.	Vice-President.	38	Household.	"
3.	Dr. Vidya Prafulla Patil Station road, Parbhani.	Secretary	30	Medical Practice	"
4.	Sow. Kanta Dayaram Jare Station road, Parbhani.	Joint-Secretary.	43	Household.	"
5.	Sow. Shebbabai Anandrao Thakare Motinagar, Pusad Dist. Yeetmal	Treasurer.	48	Household	"
6.	Sow. Seema Anil Jawanjol Station road, Parbhani.	Member	31	Household.	"
7.	Dr. Kalpana Sadanandreo Ingle Khamgaon Dist. Buldhana.	Member	34	Medical Practice	"

5. We the undersigned members of 'SARASWATI DHANVANTARI MEDICAL, EDUCATIONAL SOCIAL AND CULTURAL FOUNDATION, PARBHANI DIST. PARBHANI declare that we are intending to bring into existence a society under Societies Registration Act 1860 with the objects mentioned aforesaid, we have assembled together and have formed the society SARASWATI DHANVANTARI MEDICAL, EDUCATIONAL SOCIAL AND CULTURAL FOUNDATION, PARBHANI DIST. PARBHANI. on 1.12.1997 and have subscribed this memorandum of association for the registration of the societies registration Act 1860.

Sr. No.	Name and Address	Signature
1.	Dr. Prafulla Shrikant Patil Station road, Parbhani.	
2.	Sow. Jyoti Rameshwarrao Milke Viveknagar, Parbhani.	

Prafulla Patil
Principal
Dr. Prafulla Patil
B.Sc. Nursing College, Parbhani

Sr. No.	Name and Address	Signature
---------	------------------	-----------

- | | | |
|----|---|------------------------|
| 4. | Sow. Kanta Dayaram Jare
Station road, Parbhani. | Sow. Kanta Jare |
| 5. | Sow. Shebbabai Anandrao Thakare
Metinagar, Pusad Dist, Yestmal | Sow. Shebbabai Thakare |
| 6. | Sow. Seema Anil Jawanjai
Station road, Parbhani. | Sow. Seema Jawanjai |
| 7. | Dr. Kalpana Sadanendrao Ingle
Khamgaon Dist, Buldhana. | Dr. Kalpana Ingle |

PPD - 5/11/97

WVILLK

Yestmal

Place :- PARBHANI.
Date :- 1st December, 1997.

I know the above persons subscribing their signatures above signatures have been made before



अनंत बापूराव कदम
(४८) विशेष कार्यकारी अधिकारी
बाळाजी नगर परभणी

Certified to be Zerox/True Copy

सिंहिंगार
तपासणार
बाबवार

Principal
Dr. Prafulla Patil
B.Sc. Nursing College, Parbhani

Principal
Dr. Prafulla Patil
B.Sc. Nursing College, Parbhani

28-12-97

Amended As per Special Order
of S.O. in date 30/5/2006

Amended ANNEXURE "B"

Assistant Registrar of Societies
Parbhani Region, Parbhani

482/06

"SARASWATI DHANVANTARI MEDICAL, EDUCATIONAL, SOCIAL AND CULTURAL FUNDATION, PARBHANI, TO. PARBHANI DIST. PARBHANI."

Amended Memorandum of Association

Name of the Society :-


Saraswati Dhanvantari Medical Educational, Social And Cultural Foundation, Parbhani, Tq. and Dist. Parbhani.

2. Address of the Society :-

Dr. Prafulla Shrikant Patil,
House No. 28 Patil Hospital, Station Road,
Parbhani, (Maharashtra).

Mains and Objects :-

1. To make establishment of Educational institutes, Medical Institutes and colleges under University Acts.
 2. Promotion and development of preventive and Social Medicine.
 3. Implementation of National Medical Schemes and National Programmes.
 4. Formation of Society for Medical Learning and Resources transfer to organise conferences and workshops.
 5. Prevention and treatment of Alcoholism, Drug Abuse, Mental illness, AIDS, STDS, infections etc.
 6. To work for Disease control and Malnutrition.
 7. Research and Development for Infertility, fertility control, family planning, reproductive medicine.
 8. Promotion of Healthy village and Ideal village for Healthy nation scheme.
 9. To develop medical, social, cultural, Rural and educational project with the help of indian citizens and Non-Residents of India in U.S.A. and other countries.
 10. To establish Medical Institutes, like Medical College, Dental College, Ayurvedic College, Homeopathic College, Nursing College, Pharmacy College, Physiotherapy College etc.
- Promotion of Dental Education (Undergraduate, Post Graduate, Paraclinical & Technicians etc.) & Research.



Patil
Jilmitke
Patil

Dr. Prafulla Patil
B.Sc. Nursing College, Parbhani

4. Following is the information showing the names in full, addresses, age, designation, occupation and nationality of the members of the first Executive Committee to which the duty of the managing trust is entrusted as per the rules and regulation of "SARASWATI DHANVANTARI MEDICAL, EDUCATIONAL, SOCIAL AND CULTURAL FOUNDATION, PARBHANI, TO. PARBHANI DIST. PARBHANI."

Sr. No.	Full Name & Address	Designation	Age	Occupation	Nationality
1.	Dr. Prafulla Shrikant Patil Station road, Parbhani.	President	32	Medical practice	Indian
2.	Sow. Jyoti Rameshwarrao milke Viveknagar, Parbhani.	Vice-President	38	Household	Indian
3.	Dr. Vidya Prafulla Patil Station road, Parbhani.	Secretary	30	Medical Practice	Indian
4.	Sow. Kanta Dayaram Jare Station road, Parbhani.	Joint-Secretary	43	Household	Indian
5.	Sow. Shobhabai Anandrao Thakare Motinagar, Pusad Dist. Yeotmal	Treasurer	48	Household	Indian
6.	Sow. Seema Anil Jawanjali Station road. Parbhani.	Member	31	Household	Indian
7.	Dr. Kalpana Sadanandrao Ingle Khamgaon Dist. Buldhana.	Member	34	Medical Practice	Indian

5. We the undersigned members of "SARASWATI DHANVANTARI MEDICAL, EDUCATIONAL, SOCIAL AND CULTURAL FOUNDATION, PARBHANI, TO. PARBHANI DIST. PARBHANI." declare that we are intending to bring into existence a society under Societies Registration Act 1860 with the objects mentioned aforesaid, we have assembled together and have formed the society "SARASWATI DHANVANTARI MEDICAL, EDUCATIONAL, SOCIAL AND CULTURAL FOUNDATION, PARBHANI, TO. PARBHANI DIST. PARBHANI." on 1.12. 1997 and have subscribed this memorandum of association for registration of the societies registration Act 1860.

Principal
Principal
Dr. Prafulla Patil
B.Sc. Nursing College, Parbhani

Sr. No.	Name and Address	Signature
1.	Dr. Prafulla Shrikant Patil Station road, Parbhani.	Sd/-
2.	Sow. Jyoti Rameshwarrao milke Viveknagar, Parbhani.	Sd/-
3.	Dr. Vidya Prafulla Patil Station road, Parbhani.	Sd/-
4.	Sow. Kanta Dayaram Jare Station road, Parbhani.	Sd/-
5.	Sow. Shobhabai Anandrao Thakare Motinagar, Pusad Dist. Yeotmal	Sd/-
6.	Sow. Seema Anil Jawanjai Station road. Parbhani.	Sd/-
7.	Dr. Kalpana Sadanandrao Ingle Khamgaon Dist. Buldhana.	Sd/-

Place :- Parbhani

Date :- 1st December 1997


I know the above persens subscribing their signatures above signatures have been made before me.

Signature with seal.

Sd/-

Anant Baperao Kadam
32, Special Executive Officer
Shivaji Nagar, Parbhani

(seal)



Tame copy

[Handwritten signature]

डॉ. विजय अडकिर्णे
प्रिंसिपल कॉलेजी, परभणी. २२१४११
En-MAH-1092-69 Coll: 9477

[Handwritten signature]
Principal
Dr. Prafulla Patil
B.Sc. Nursing College, Parbhani

Identified to be Zerox/True Copy



GOVERNMENT OF MAHARASHTRA



Public health Department

सन १९४९ च्या दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अँक्टच्या कलम ५ अन्वये दिलेले
रजिस्ट्रेशन सर्टिफिकेट

Certificate of Registration under Section 5 of the Bombay Nursing Homes Registration Act, 1949
(नियम ५ अन्वये) (Under Ruls 5) 1949

क्रमांक No: 66/24

दि. बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अँक्ट, १९४९ अन्वये डॉ.विद्या पाटील, सरस्वती धन्वंतरी मेसौक
फौंडेशन आयुर्वेदिक हॉस्पिटल आणि डॉ.प्रफुल्ल पाटील मल्टीसुपरस्पेशलिटी हॉस्पिटल कोडगाव
ता.जि.परभणी येथील नर्सिंग होम / मॅटर्निटी होम रजिस्टर केले असून सदरचे नर्सिंग होम चालविण्यास
परवाना देण्यात येत आहे.

This is to certify that Shri/Shrimati – .Dr.Vidya Patil, Saraswati Dhanwantari Messouk Foundation
Ayurvedic Hospital and Dr.Praful Patil Multi-Superspecialty Hospital Pvt Ltd Kodagaon Tal & District
Parbhani Has been registered under the Bombay Nursing Homes Registration Act, 1949 in respect of
Dr.Praful Patil Multi-Superspecialty Hospital Pvt Ltd Situated at Kodagaon Tal & District Parbhani and
has been authorized to carry on the said nursing Home/Maternity Home.

रजिस्ट्रेशन क्र. 66/24

प्रसूतीसाठी - 25 बेड

Registration No. . 66/24

Maternity - 25 Cots

रजिस्ट्रेशन दिनांक- 21 /05/2024

इतर रुग्णांसाठी-225 बेड

Registration date-21 /05/2024

Other nursing Patients -225 Cots

*आयुर्वेदिक रुग्णांनासाठी - १०० बेड

Ayurvedic Nursing Patients- 100 Bed


ठिकाण Place : Parbhani

सर्टिफिकेट दिल्याचा दिनांक-21 /05/2024

Date of Issuing of Certificate--21 /05/2024

सदरचे सर्टिफिकेट दिनांक 31/03/2028 पर्यंत कार्यान्वित राहिल.

This Certificate shall be valid upto 31/03/2028.


District Health Officer,
Zila Parishad Parbhani


Principal
Dr. Prafulla Patil
B.Sc. Nursing College, Parbhani



परभणी शहर महानगरपालिका परभणी

महाराष्ट्र अग्निशमन आणि वाणी सेवा
अपना कॉर्नर, प्रिती टॉकीज जवळ, परभणी

दुरध्वनी क्र. 02452-223101 टोल फ्री क्र. 101 ई-मेल : E-mail : fireservicepeme101@gmail.com



जा.क्र.पशमनपा/आवअसे/ 23 /2024

दिनांक : 28 /02/2024

प्रति,

मुख्य प्रशासकीय अधिकारी
पाथरी रोड परभणी

विषय :- अग्निशमन वार्षिक नूतनीकरण नाहरकत प्रमाण पत्र बाबत.

संदर्भ : 1) आपला त्रिनंती अर्ज दिनांक 12/02/2024

2) आग प्रतिबंधक जीव संरक्षण बाबत मान्यता प्राप्त अभिकर्त्यांचे प्रमाणपत्र.

3) अग्निशमन विभाग प्रमुख यांची तपासणी दिनांक 13/02/2024 नुसार अहवाल

उपरोक्त विषयाच्या अनुषंगाने नमुद करण्यात येते की, डॉ. प्रफुल्ल घाटोल वी.एस.सी वृत्तिंग कॉलेज पाथरी रोड, परभणी येथील (इमारतीचे मालक / विकासक / भोगवटदार) यांनी बाबत केलेल्या मान्यता प्राप्त अभिकर्ता धनश्री फायर एजन्सी, यलदरकर कॉलनी, परभणी अग्निशमन यंत्रणा दुरुस्त व कार्यक्षम असल्या बाबतचे (आग प्रतिबंधक व जीव संरक्षण उपाय योजना) दिनांक 07/02/2024 रोजीच्या फॉर्म प्रमाणपत्र 'ब' नुसार दि. 13 /02/2024 रोजी आग प्रतिबंधक साहित्य/यंत्रणेची तपासणी केली ती समाधानकारक आहे, तसेच सदरचे नाहरकत प्रमाणपत्र हे जारी केलेल्या दिनांकापासून 1 वर्षांपेक्षा वेध राहिल, यानंतर दर वर्षी अग्निशमन वार्षिक नूतनीकरण नाहरकत प्रमाणपत्र घेण्याचे सर्वस्वी जबाबदारी आपल्यावर राहिल. तसेच तपासणी दरम्यान आढळून आलेली आगप्रतिबंधक व जीव संरक्षण उपाय योजना ही भविष्यात तशीच राहिल याची दक्षता घ्यावी, या अटी व शर्तीवर ना हरकत प्रमाणपत्र देण्यात येते.

इमारतीचा तपशिल आपण दिलेल्या नकाशा नुसार इमारतीचा वापर खालील प्रमाणे आहे.

अ.क्र.	इमारतीचा स्वरूप	वापर
1	तळ मजला	मेडिकल/हॉस्पिटल
2	पट्टीला मजला	हॉस्पिटल
3	दुसरा मजला	हॉस्पिटल

अटी महाराष्ट्र आग प्रतिबंधक व जीव संरक्षण उपाय योजना अधिनियम 2006 नुसार खालील दिलेल्या अटी व शर्तीचे पालन करणे बंधनकारक राहिल.

- 1) महाराष्ट्र आग प्रतिबंधक व जीव संरक्षण उपाय योजना अधिनियमातील नियम क्र. 3 नुसार अर्जदाराने (विकासक / मालक / भोगवटदार किंवा ज्या अधिनामाने बोध करण्यात येईल) आग प्रतिबंधक व जीव संरक्षण उपाय योजना 2006 व भारतीय राष्ट्रीय इमारत संहिता 2016 आणि त्यामध्ये वेळोवेळी केलेल्या सुधारणे नुसार अंमलबजावणी करणे बंधनकारक राहिल. या कायद्याचे उल्लंघन होणार नाही याची दक्षता संबंधितांनी राहिल.
- 2) सदर अधिनियमातील कलम क्र. 3 मधील पोट कलम 3 नुसार अर्जदाराने आग प्रतिबंधक जीव संरक्षण उपाय योजनाची तरतुद केली आहे या बाबतचे लायसन्स प्राप्त अभिकर्ताकडून दिलेले विहित नमुन्यातील प्रमाणपत्र व पोटकलम (1) मध्ये विनिर्दिष्ट केल्या प्रमाणे दुरुस्त आणि कार्यक्षम स्थितीत ठेवल्या बाबतचे विहित नमुन्यातील प्रमाणपत्र 'ब' मुख्य अग्निशमन अधिकारी यांच्याकडे वर्षातून दोन वेळा जानेवारी व जुलै या महिन्यामध्ये सादर करावा.
- 3) कोणतीही व्यक्ती आपल्या इमारतीत किंवा तीच्या भागात वसविलेली आग प्रतिबंधक उपकरणे विघडवणार नाही, त्यामध्ये फेरबदल करणार नाही, ते काढून टाकणार नाही किंवा त्याला कोणतीही हानी व नुकसान पोहोचवणार नाही, किंवा कोणत्याही व्यक्तीला तसे करणे बाबत विचावणी देणार नाही.
- 4) सदर इमारतीत अग्निशमन प्रतिबंधात्मक उपाय योजना सुस्थितीत असल्यानंतर तसेच या पुर्वी यंत्रणात काही नुटी अडळल्या बाबत आपणास नोटीस मिळाली नसेल किंवा त्या ठिकाणी कृतीही घटना घडलेली नसेल तरच हे प्रमाणपत्र ग्राह्य धरण्यात येईल.
- 5) महाराष्ट्र आगप्रतिबंधक व जीव संरक्षण उपाय योजना अधिनियम 2006 नुसार लावण्यात येणारी अग्निशमन सेवा फीस / मनापा फीस नजर चुकीने कमी लावण्यात आल्यास होणारी फरकाची रक्कम ही नाहरकत प्रमाणपत्र घेते वेळेस भरावी लागेल.
- 6) तात्पुरते नाहरकत प्रमाणपत्रामध्ये दिलेल्या सर्व अटीच्या पूर्ततेस ग्राह्य धरून तसेच इतर कुठलेही बदल होणार नाही आणि सदर इमारतीत काही बदल करावयाचे असल्यास खालील स्वाक्षरीकास कळवून बदल / खाद करण्यात यावी.
- 7) संवैधानिक तरतुदीमध्ये चरंचार होणा-या बदलास अधिन राहून अतिरिक्त सूचना करण्याचा अधिकार सदर स्वाक्षरीकर्याने राखून ठेवण्यात आला आहे.
- 8) महाराष्ट्र राज्य विद्युत मंडळ यांच्या विद्युत चाचणी अहवालांमध्ये दिलेल्या नुटीची पूर्तता करण्याची सर्वस्वी जबाबदारी अर्जदाराची राहिल, वरील सर्व अटी व शर्ती अर्जदार यांना बंधनकारक असून याचा भंग झाल्यास / केल्यास सदरील ना हरकत प्रमाणपत्र रद्द करून कार्यवाही करण्यात येईल.

अग्निशमन अधिकारी

अग्निशमन व आणीबाणीसेवा

परभणी शहर महानगरपालिका परभणी

GOVT. OF MAHARASHTRA



सत्यमेव जयते

Public Health Department

(PRE-CONCEPTION AND PRE-NATAL DIAGNOSTIC TECHNIQUES
(PROHIBITION OF SEX SELECTION) ACT, 2003)

SCHEDULE III

CERTIFICATE OF REGISTRATION

1. In exercise of powers conferred under Sec. 19 (1) of Pre-natal Diagnostic Techniques (Regulation and Prevention of Misuse) Act. 1994, (57 of 1994), the Appropriate Authority Civil Surgeon, Civil Hosp. Parbhani hereby grants registration to the Genetic Counselling Centre*/Genetic Laboratory*/Genetic Clinic* named below purposes of carrying out Genetic Counselling Pre-natal Diagnostic Procedures*/Pre-natal Diagnostic Tests as defined in the aforesaid Act for a period of five years ending on 29/07/2028

2. This registration is granted subject to the aforesaid Act and Rules there under and any contravention thereof shall result in suspension or cancellation of this Certificate of Registration before the expiry of the said period of five years.

A. Name and address of the Genetic Counselling Centre*/Genetic Laboratory*/Genetic Clinic*.

Dr. Vidya Patil Dr. Prafulla Patil Multispeciality Hosp. Pvt. Ltd MH 22
Pathri road Karadgaon

B. Name of Applicant for registration.

1. Dr. Vidya Prafulla Patil M.B.B.S. DND 2) ASIT Uthavrao Shinde - M.B.B.S. DND
3) Dr. Mohammed Abdul Salam Haroon Tamboli - 2DECHO

C. Pre-natal diagnostic procedures approved for (Genetic Clinic). Machine Detail

(i) Ultrasound (Non-Invasive) (ii) Amniocentesis Samsung HS 70 A
(iii) Chorionic villi biopsy (iv) Foetoscopy Probe - DUSP 8 J7P50 NRKJIM 36K6
(v) Foetal skin or organ biopsy (vi) Foetoscopy 302
(vii) Any other (specify) 2) USPEO3 PDA/WR KODEM36K
23X
3) USP-LO3LPS DWR/KOC 2M34

D. Pre-natal diagnostic tests approved (for Genetic Laboratory) 1) USP PG 24 PDA/WR/KOBRM5N
K400011M

(i) Chromosomal Studies (ii) Biochemical Studies

(iii) Molecular Studies CTSCAN

3. Model and make of equipments being used

4. Registration No. allotted GHHP/PNDT/077/2018

5. Period of validity of Registration 5YRS. From 30/7/2023 To 29/7/2028

03/08/2023

Date :



Signature, name and designation
Civil Surgeon
of the Appropriate Authority
District Hospital, Parbhani



Maharashtra Pollution Control Board
महाराष्ट्र प्रदूषण नियंत्रण मंडळ

ATUL ENVIRONMENT SERVICES
GUT NO. 240, DAWALWADI, TQ. BADNAPUR, DIST. JALNA
Dawalwadi - 431202
Phone No:9423149670
Email Id:atulenvironmentservices1@gmail.com



Unique Registration No.: PBHP0141



Provisional Registration Certificate



Outward No.: AES/24-25/000031

Date: 06-May-2024

This is to certify that **DR. PRAFULLA PATIL MULTI SUPERSPECIALITY HOSPITAL, PATHRI ROAD, NH-222, PARBHANI, TQ. & DIST. PARBHANI -431401** is registered with ATUL ENVIRONMENT SERVICES, Dawalwadi for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1. Authorized Person of HCE (Name and Designation)	DR. VIDHYA PRAFULLA PATIL
2. Bombay Nursing Home Act Registration Details	
a. BNH Registration Number	66/24
b. BNH Issue Date	21-May-2024
c. Total Number of Beds	350
d. BNH Validity(Form 'C')	31-Mar-2028
3. Common Treatment Facility Registration Details	
a. Date of Registration	01-Apr-2019
b. No. of Beds Registered	350
c. Registration Validity	05-May-2025
4. Renewal of CTF Membership(if applicable)	
a. Renewal Date	05-May-2025
b. No. of Beds Registered	350
5. MPCB Consent (Establish/ 1 st Operate/Renewal) Details	
a. Consent/ CCA Number	
b. Issue Date	
d. Validity up to	




For ATUL ENVIRONMENT SERVICES

Note : HCE shall display copy of Registration Certificate at front Desk and Temporary BMW storage area.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/M.S.I

Date: 22/08/2023

No:- Format1.0/CAC/UAN No.0000156411/CO/2308001348

To,
Dr. Prafulla Patil, Multi-Super Speciality Hospital,
Dr. Prafulla Patil Educational & Hospital Campus,
Gat No. 40, Pathri Road, At. Kaudgaon, Dist. Parbhani -
431401.
Email: patilhospital2@gmail.com
Contact No.: 8007777633



Your Service is Our Duty

Grant of Renewal of Combined Consent and BMW Authorization (CCA) with increase in number of beds under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Previous Combine Consent and Bio-Medical Waste Authorization granted by the Board vide dated 23.01.2019, valid up to 31.12.2022.
 2. Your application for Combine Consent and Bio-Medical Waste Authorization vide UAN No. 156411, dated 24/01/2023.
 3. Minutes of 6th Consent Appraisal Committee meeting held on 05.07.2023.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **31-12-2022** To **31-12-2025**
2. The capital investment of the HCF is **₹618.0** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 77968.00 M² with Built-up area 12050.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **350 Nos.** (As per BNH certificate no. 9 2021 valid upto 31-03-2024)
 - I. General Beds : **291 Nos**
 - II. ICU/ICU Beds : **25 Nos**
 - III. Operation Theatre : **4 Nos**
 - IV. Maternity Beds : **30 Nos**

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 157.5 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		NA	As per Actual	--NA--	0

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Atul Environment Services Jalna, Jalana** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. HCE shall properly operate STP to achieve consented norms.
18. HCE shall submit BGs as per HCE BG regime.

This consent is signed as per power delegated vide letter dated 03/11/2022 No. MPCB/AS(T)/B-0107 by competent authority of the board.



Sangewar

70c77c06
7cf0bc11
57b79a9e
21e4d442
abc6088b
6223f351
921b95c0
4e1b12b6

Signed by: Dr J. B. Sangewar
Joint Director(WPC) & InCharge Of CAC-Cell
For and on behalf of,
Maharashtra Pollution Control Board
cac-cell@mpcb.gov.in
2023-08-22 11:41:34 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	75000.00	TXN2212004605	29/12/2022	Online Payment
2	125000.00	TXN2307003425	25/07/2023	Online Payment
3	15000.00	TXN2308000233	02/08/2023	Online Payment

Copy to:

1. Regional Officer, MPCB, Aurangabad and Sub-Regional Officer, MPCB, Parbhani
- - They are directed to ensure the compliance of the consent conditions.
SRO They are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.
4. CAC Desk - for record & updation purposes.

P. Patil
Principal
Dr. Prafulla Patil
B.Sc. Nursing College, Parbhani

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	157.50
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	126	As per clause 'C'	Treated effluent recycle up to maximum extent and remaining disposed in to sewerage system provided by local body
2	Trade effluent	0	As per clause 'C'	NA

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	NA	--	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	175.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Atul Environment Services Jalna, Jalana Jalana
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	130.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	75.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	60.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	35.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	212.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Atul Environment Services Jalna, Jalana Jalana
3	White (Translucent)	Waste sharps including Metals	40.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Atul Environment Services Jalna, Jalana Jalana
4	Blue	a) Glassware	38.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Atul Environment Services Jalna, Jalana Jalana
		b) Metallic body implants	58.00		

Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Atul Environment Services Jalna, Jalana** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Aurangabad and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	100,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	25,000.00
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	50,000.00
Total			2,50,000.00

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.

General Conditions

The following general conditions shall apply:-


1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Aurangabad.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.



GOVT. OF MAHARASHTRA



Public Health Department

सन १९४९ च्या दि वांम्वे नर्सिंग होम्स रजिस्ट्रेशन ॲक्टच्या कलम ५ अन्वये दिलेले
रजिस्ट्रेशन सर्टिफिकेट

Certificate of Registration under Section 5 of Bombay the Nursing Home
Registration Act. 1949

(नियम ५ अन्वये) (Under Rule 5)

क्रमांक No : 192

दि वांम्वे नर्सिंग होम रजिस्ट्रेशन ॲक्ट, १९४९ अन्वये श्री/श्रीमती डॉ. अभिजीत चिद्रवाड
M.B.B.S. D.C.H यांचे विघ्नहर्ता हॉस्पिटल परभणी
येथील नर्सिंग होम / मॅटर्निटी होम रजिस्टर केले असून सदरचे नर्सिंग होम व मॅटर्निटी होम चालविण्यास
परवाना देण्यात येत आहे.

This is to Certify that Shri / Shrimati Dr. Abhijit Chidrawas
M.B.B.S. D.C.H Has been registered under the Bombay
Nursing Homes Registration Act, 1949 in respect of Vighnaharta Hospital
Jintur Road Situated at Parbhani
and has been authorised to carry on the said Nursing Home.

रजिस्ट्रेशन क्र. 192 प्रसूतीसाठी 35 कॉट्स
Registration No. Maternity Cots

रजिस्ट्रेशन दि. इतर रुग्णांसाठी 15 कॉट्स
Date Registration Other Nursing Patient Cots

PCMC/BNHR/192
ठिकाण Place : PARBHANI

सर्टिफिकेट दिल्याचा दिनांक Date of issue of Certificate :

सदरचे सर्टिफिकेट ३१ मार्च 2026 पर्यंत कार्यवाहीत राहील.

this Certificate shall be valid up to 31st March 2026

Leed.
MOH

Parbhani City Municipal Corporation, Parbhani



Maharashtra Pollution Control Board
महाराष्ट्र प्रदूषण नियंत्रण मंडळ

ATUL ENVIRONMENT SERVICES
GUT NO. 240, DAWALWADI, TQ. BADNAPUR, DIST. JALNA
Dawalwadi - 431202
Phone No:9423149670
Email Id:atulenvironmentservices1@gmail.com



Unique Registration No.: PBHP0200



Provisional Registration Certificate




Outward No.: AES/24-25/000236

Date: 28-Nov-2024


This is to certify that **VIGHNAHARTA HOSPITAL & RIDDHI-SIDDHI DAIGNOSTIC SERVICES, PLOT NO. 04, GANPATI CHOWK, JINTUR ROAD, PARBHANI TQ. PARBHANI DIST. PARBHANI-431401** is registered with ATUL ENVIRONMENT SERVICES, Dawalwadi for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1. Authorized Person of HCE (Name and Designation)	DR. ABHIJIT L. CHIDRAWAR DOCTOR
2. Bombay Nursing Home Act Registration Details	
a. BNH Registration Number	PCMC/BNHR/192
b. BNH Issue Date	0
c. Total Number of Beds	31-Mar-2026
d. BNH Validity(Form 'C')	
3. Common Treatment Facility Registration Details	
a. Date of Registration	02-Dec-2022
b. No. of Beds Registered	50
c. Registration Validity	27-Nov-2025
4. Renewal of CTF Membership(if applicable)	
a. Renewal Date	27-Nov-2025
b. No. of Beds Registered	50
5. MPCB Consent (Establish/ 1 st Operate/Renewal) Details	
a. Consent/ CCA Number	FORMAT1.0/RO/UAN
b. Issue Date	NO.0000174398/CO/2310000216
d. Validity up to	04-Oct-2023
	28-Feb-2025




For ATUL ENVIRONMENT SERVICES

Note : HCE shall display copy of Registration Certificate at front Desk and Temporary BMW storage area.



GOVT. OF MAHARASHTRA



सत्यमेव जयते

Public Health Department

(PRE-CONCEPTION PRE-NATAL DIAGNOSTIC TECHNIQUES
(PROHIBITION OF SEX SELECTION) ACT, 2003

SCHEDULE III

CERTIFICATE OF REGISTRATION

1. in exercise of powers conferred under Sec.19 (1) of pre-natal Diagnostic techniques (Regulation and prevention of Misuse) Act, 1994, The Appropriate Authority.....P.C.M.C......

-Parbhani hereby grants registration to the Genetic counselling centre* / Genetic Laboratory* / Genetic Clinic* named below purposes of carrying out Genetic Counselling Pre-natal Diagnostic Tests as defoned in the aforesaid Act for a Period of five years ending on 24/01/2029

2. This registration is Granted subject to the aforesaid Act and Rules There under and any Contravention there of shall result in suspension of cancellation of this Certificate of Registration before the expiry of the said period of five years.

A. Name and Address of the Genetic Counselling Centre* / Genetic Laboratory* / Genetic

Clinic* VIGNAHARTA HOSPITAL.....

Ganapati chowk, Jintur Road Parbhani.....

B. Name of Application for registration. 1) Dr. Bothikar Vishal 2) Dr. Deshmukh

Sampada 3) Dr. Sonipreeti 4) Dr. Gatti Dipak 5) Dr. Ajit Shinde

C. Pre-natal diagnostic procedures approved for (Genetic Clinic)

- (i) Ultrasound Non-Invasive (ii) Amniocentesis
(iii) Chorionic Villi biopsy (iv) Cordocentesis
(v) Foetal skin or organ biopsy (vi) Cordocentesis
(vii) Any other (Specify) / IUI LAB

Mindray DP-50

D. Pre-natal diagnostic tests approved (for Genetic Laboratory)

- (i) Chromosomal Studies (ii) Biochemical Studies
(iii) Molecular Studies

3. Model and Make of equipments being used

4. Registration No. allotted Pcmc/Pndt/ 41 / 2024

5. Period of Validity of Registration. 5 year From 25/01/24 to 24/01/2029.....

Cent.

Appropriate Authority
Medical Health Officer

Parbhani City Municipal Corporation, Parbhani.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0240 - 2473462
Fax: 0240 - 2473461
Website: <http://mpcb.gov.in>
Email:
roaurangabad@mpcb.gov.in



Paryavaran Bhavan, A - 4/1,
MIDC Area , Chikalthana,
Near Seth Nandlal Dhoot
Hospital, Jalna Road ,
Aurangabad - 431 210

ORANGE/

Date: 04/10/2023

No:- Format1.0/RO/UAN No.0000174398/CO/2310000216

To,
Vighnaharta Multispeciality Hospital
,Ganpati Chowk, Jintur Road, Parbhani
-431401
Email:vighnahartahospitalpbn@gmail.com
Contact No.:9175642238



Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000174398& BMW Auth No.
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 30/06/2023

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. Consent valid up to 28.02.2025

2. The capital investment of the HCF is ₹310.30 Lakhs (As per C.A Certificate Submitted by HCF)

3. HCF Area: - Plot Area 650.00 M² with Built-up area 600.00 M².

4. Activities Included

a. Total Number of Beds : **50 Nos.** (As per BNH certificate no. 0 valid upto 31-03-2023)

I. General Beds : **05 Nos**

II. ICU/ICU Beds : **05 Nos**

III. Operation Theatre : **3 Nos**

IV. Maternity Beds : **35 Nos**

V. Other Beds : **2 Nos**

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 3 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
		NA			

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Atul Environment Services Jalna, Jalana** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. 0



Generated by eSign@MPCB
 eb919a1f
 c0e89737
 27691050
 a2ab991c
 41b6fdf5
 4d68f95a
 336b05fb
 00f30435

Signed by: Sujit Suhas Dholam
 Regional Officer
 For and on behalf of
 Maharashtra Pollution Control Board
 roaurangabad@mpcb.gov.in
 2023-10-04 15:14:18 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	30000.00	TXN2306004614	30/06/2023	Online Payment

Copy to:

1. Regional Officer, MPCB, Aurangabad and Sub-Regional Officer, MPCB, Parbhani
- - They are directed to ensure the compliance of the consent conditions.
SRO They are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.



Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

<i>Sr. No.</i>	<i>Purpose for water consumed</i>	<i>Water consumption quantity (CMD)</i>
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	1.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

<i>Sr. No.</i>	<i>Description</i>	<i>Permitted quantity of discharge (CMD)</i>	<i>Standards to be achieved</i>	<i>Disposal</i>
1	Domestic Sewage	1	As per clause 'C'	100% Recycle
2	Trade effluent	1	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

<i>Sr. No.</i>	<i>Parameters</i>	<i>Discharge Standards applicable</i>
		<i>Limiting Concentration in mg/except for pH</i>
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
---------	-------------------	-----------	----------	--------------------

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	5.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Atul Environment Services Jalna, Jalana Jalana
		b) Animal Anatomical Waste	1.00		
		c) Soiled Waste	4.00		
		d) Expired or Discarded Medicines	1.00		
		e) Chemical Waste	1.00		
		f) Chemical Liquid Waste	1.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	5.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	2.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	2.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Atul Environment Services Jalna, Jalana Jalana
3	White (Translucent)	Waste sharps including Metals	5.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Atul Environment Services Jalna, Jalana Jalana
4	Blue	a) Glassware	1.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Atul Environment Services Jalna, Jalana Jalana
		b) Metallic body implants	1.00		

Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Atul Environment Services Jalna, Jalana** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Aurangabad and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	10,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	25,000.00
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
Total			1,25,000.00

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Aurangabad.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.





MUHS

महाराष्ट्र आरोग्य विज्ञान विद्यापीठ, नाशिक

MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK
दिंडोरी रोड, म्हसळ, नाशिक - ४२२००४ Dindori Road, Mhasrul, Nashik - 422004
Tel:(0253) 2539244/6659244/241, 242 ☎ Student Helpline:0253-2539111/6659111/10
Website: www.muhs.ac.in, E-mail: planning@muhs.ac.in



मानवत्वाचा अमन भरोसा

डॉ. राजेंद्र शिवाजी बंगाळ

एम.बी.बी.एस, एम.डी.(न्यायवैद्यकशास्त्र), डी.एन.बी, एल.एल.बी.

कुलसचिव

Dr. Rajendra Shivaji Bangal

M.B.B.S, M.D.(Forensic Medicine), D.N.B, L.L.B.

Registrar

No. MUHS / PB /UG / Nursing / P-5 / 3106 /2022

Date: 28/12/2022

To,
The President / Secretary,
Saraswati Dhanwantari
Medical Educational Social &
Cultural Foundation's,
C/o Patil Hospitl, Bus Stand Road,
Parbhani – 431 401

Phone No. - (02452) 220967, Mobile No. – 9158199922,9960879880

Email – drppnursingschool@gmail.com, dr.prafvidhya2930@rediffmail.com

Sub: Grant of First Time Affiliation for the Academic Year 2022 – 23.

Sir,


As per the provision of section 65 (4) of Maharashtra University of Health Sciences Act 1998, I am directed to inform you that, on the basis of the Local Inquiry Committee report the Hon'ble Vice Chancellor is pleased to Grant First Time Affiliation to your College, "Dr.Prafulla Patil B.Sc Nursing College, Dr.Prafulla Patil Educational & Hospital Campus, Pathri Road, NH-61, Parbhani – 431 401." of B.Sc Nursing Course for the academic year 2022-23 subject to approval of Academic Council as per the provision under section (65)2 of MUHS Act 1998, by following due procedure. However, this affiliation is subject to the following conditions: -

- 1) The intake capacity shall be 60 students for B.Sc Nursing Course.
- 2) Fulfilment of following deficiencies within 3 months from the date of issuance of this letter to the University (Academic Section).
 - i) Principal & Vice principal and professor MNC registration to be made available.
 - ii) Nursing Book and journal need to be purchased as per norms.
 - iii) Laboratories instruments & equipments should be purchased as per norms.
- 3) Rules and Regulations made by Indian Nursing Council, New Delhi, Govt. of Maharashtra and the University, as amended from time to time, will be binding on the College.


Principal
Dr. Prafulla Patil
B.Sc. Nursing College, Parbhani

(P.T.O.)

- 4) The College should obtain approval of teachers from the Maharashtra University of Health Sciences, Nashik.
- 5) The College should obtain the permission for admitting the students from the Admission Regulating Authority, Mumbai.
- 6) The College should obtain approval of fee schedule for the admission of the students from the Fee Regulating Authority, Mumbai.
- 7) This First Time Affiliation is Valid for Academic year 2022-23 only.
- 8) The next batch of students shall not be admitted unless continuation of affiliation from the University is obtained by the College.



[Handwritten Signature]
Registrar

Copy to :-

- 1) The Secretary, Indian Nursing Council, 8th Floor, NBCC Center, Okhla Phase-I, New Delhi – 110020.
- 2) The Secretary, Medical Education & Drugs Department, Mumbai
- 3) The Director, Directorate Medical Education & Research, Mumbai.
- 4) The Secretary, Maharashtra Nursing Council, Mumbai
- 5) The Commissionerate, CET Cell, 8th Floor, New Excelsior Building, A. K. Nayak Marg, Fort, Mumbai - 400 001.
- 6) The Chairman, Admission Regulating Authority, 8th Floor, New Excelsior Building, A. K. Nayak Marg, Fort, Mumbai - 400 001.
- 7) The Chairman, Fees Regulating Authority, 3rd Floor, 49, Kherwadi, Ali Yawar Jung Marg, Bandra (E), Mumbai – 400 051.
- 8) The P.S. to Hon'ble Vice Chancellor, MUHS, Nashik.
- 9) The P.S. to Pro Vice Chancellor, MUHS, Nashik
- 10) The Registrar, MUHS, Nashik.
- 11) The Controller of Examinations, MUHS, Nashik.
- 12) The Finance and Accounts Officer, MUHS, Nashik
- 13) HOD, Academic Section – 2, MUHS, Nashik.
- 14) HOD, Eligibility Section, MUHS, Nashik.
- 15) HOD, Computer Section, MUHS, Nashik.
- 16) HOD, Student Welfare Section, MUHS, Nashik
- 17) HOD, Special Cell, MUHS, Nashik

[Handwritten Signature]
Principal
Dr. Prafulla Patil
B.Sc. Nursing College, Parbhani